Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

MORBIDITY AND MORTALITY.

MORBIDITY AND MORTALITY TABLES FOR CERTAIN DISEASES, CITIES OF THE UNITED STATES, FOR WEEK ENDED SEPT. 21, 1912.

Cities.	Population, United States census, 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having over 500,000 inhabitants.												
Baltimore, Md	558,485	161	12	1	2	....	5	....	51	16	67	3
Boston, Mass	670,585	215	25	1	18	....	9	....	75	17	13	3
Chicago, Ill	2,185,283	594	95	9	13	....	46	5	140	68	35	6
Cleveland, Ohio	560,663	144	48	3	3	1	10	1	14	9	14	2
New York, N. Y	4,766,883	1,162	194	10	42	2	77	4	468	122	204	22
Philadelphia, Pa	1,549,008	430	38	3	10	1	31	....	91	44	30	5
Pittsburgh, Pa	533,905	172	54	5	39	2	26	....	15	14	3	2
St. Louis, Mo	687,029	176	19	2	4	....	22	....	39	18	27	3
Cities having from 300,000 to 500,000 inhabitants.												
Buffalo, N. Y	423,715	132	11	....	40	....	4	....	15	9	5	....
Cincinnati, Ohio	364,463	.....	14	....	5	....	6	....	30	15	5	1
Detroit, Mich	465,766	142	22	3	.....	....	7	1	.....	.....	.....	....
Los Angeles, Cal	319,198	89	10	....	1	....	5	....	41	12	6	....
Milwaukee, Wis	373,857	.....	13	....	3	....	17	1	25	4	3	2
Newark, N. J	347,469	94	16	....	7	....	7	....	37	9	8	....
New Orleans, La	339,075	139	9	....	1	....	3	....	31	20	2	2
Washington, D. C	331,069	95	4	....	8	....	2	....	14	8	14	2
Cities having from 200,000 to 300,000 inhabitants.												
Jersey City, N. J	267,779	81	.....	1	.....	....	.....	....	.....	8	.....	....
Kansas City, Mo	248,381	13	5	....	.....	....	1	1	2	4	8	3
Providence, R. I	224,326	60	4	....	.....	....	6	....	11	5	11	....
Seattle, Wash	237,194	37	.....	....	2	....	.....	....	5	8	4	....
Cities having from 100,000 to 200,000 inhabitants.												
Bridgeport, Conn	102,054	23	1	1	.....	....	3	....	2	3	2	....
Cambridge, Mass	104,839	32	1	....	.....	....	.....	....	1	.....	1	....
Columbus, Ohio	181,548	49	6	1	.....	....	3	....	2	9	9	3
Dayton, Ohio	116,577	48	24	2	.....	....	2	....	1	4	3	....
Fall River, Mass	119,295	40	7	....	.....	....	2	....	2	4	6	....
Grand Rapids, Mich	112,571	27	.....	....	.....	....	1	....	3	1	12	....
Lowell, Mass	106,294	38	2	....	3	....	23	....	3	4	5	....
Nashville, Tenn	110,364	36	1	....	.....	....	2	1	1	3	13	1
Oakland, Cal	150,174	40	2	....	.....	....	2	....	2	1	2	....
Omaha, Nebr	124,096	40	1	....	.....	....	.....	....	.....	3	6	....
Richmond, Va	127,628	52	3	1	.....	....	12	....	10	3	5	2
Spokane, Wash	104,402	.....	1	....	1	....	.....	....	.....	.....	4	....
Toledo, Ohio	168,497	42	16	1	1	....	2	....	.....	2	8	....
Worcester, Mass	145,986	41	7	....	3	....	4	....	3	1	5	1
Cities having from 50,000 to 100,000 inhabitants.												
Altoona, Pa	52,127	11	3	....	.....	....	.....	....	.....	1	2	1
Bayonne, N. J	55,545	23	.....	....	.....	....	.....	....	1	1	1	....
Brockton, Mass	56,878	9	.....	1	1	....	2	....	4	.....	1	....
Camden, N. J	94,538	.....	24	2	1	....	.....	....	6	.....	2	....
Duluth, Minn	78,466	15	1	....	.....	....	.....	....	.....	1	.....	....
Elizabeth, N. J	73,409	15	1	....	2	....	.....	....	1	2	3	....
Erie, Pa	66,525	24	6	....	5	....	4	1	4	1	1	....
Evansville, Ind	69,647	18	10	1	.....	....	2	....	.....	.....	.....	....
Harrisburg, Pa	64,186	17	2	....	.....	....	2	....	5	3	4	....
Hartford, Conn	98,915	39	4	....	.....	....	3	....	4	.....	2	....
Houston, Tex	78,800	19	1	....	.....	....	7	....	.....	2	.....	....
Johnstown, Pa	55,482	22	10	....	.....	....	3	....	.....	.....	1	....
Kansas City, Kans	82,331	.....	.....	....	2	....	.....	....	.....	.....	1	....
Lawrence, Mass	85,892	23	1	....	.....	....	.....	....	2	2	.....	....
Lynn, Mass	89,336	21	5	1	3	....	.....	....	4	2	2	....
Manchester, N. H	70,063	32	5	....	.....	....	2	....	.....	.....	1	....
New Bedford, Mass	96,652	34	2	2	.....	....	2	....	4	2	7	....
Oklahoma City, Okla	64,205	14	4	....	.....	....	.....	....	.....	1	4	3
Passaic, N. J	54,773	20	3	1	8	....	1	....	2	1	.....	....

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 21, 1912—Continued.

Cities.	Population, United States census, 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having from 50,000 to 100,000 inhabitants—Con.												
Pawtucket, R. I	51,622									3		
Peoria, Ill	66,950	17	10	3			2			1		
Reading, Pa	96,071	26	3		1		5		10	1	6	
Saginaw, Mich	50,510	13	1				1		1	2	2	
Schenectady, N. Y	72,826	18									1	
South Bend, Ind	53,684	13	1							1	1	
Springfield, Ill	51,678											
Springfield, Mass	88,926	24	3						7	4		1
Trenton, N. J	96,815	40	2				1		8	5	3	1
Wilkes-Barre, Pa	67,105	21	2						6	1	1	
Yonkers, N. Y	79,803	14	13	1			2		8	2	1	
Cities having from 25,000 to 50,000 inhabitants.												
Atlantic City, N. J	46,150	10	2				1		1		1	
Aurora, Ill	29,807		1									
Berkeley, Cal	40,434	10	1						2	1		
Binghamton, N. Y	48,443	23								1	1	
Brookline, Mass	27,792	5	1						1		2	
Butte, Mont	39,165	18					1			5		
Chelsea, Mass	32,452	10	2		1				2		2	
Chicopee, Mass	25,401	9	2	1	1				1	1	1	
Danville, Ill	27,871	14	1				12	1		2		2
East Orange, N. J	34,371						1		3		1	
Elmira, N. Y	37,176	13							1		3	
Everett, Mass	33,484	5	4				1		5			
Fitchburg, Mass	37,826	9					1		2	1	2	
Haverhill, Mass	44,115	6							4		1	
Kalamazoo, Mich	39,437	21	1							1	5	1
Knoxville, Tenn	36,346	10										1
La Crosse, Wis	30,417	7							2			
Lancaster, Pa	47,227		6		1		3		1		1	
Lexington, Ky	35,099	2	1				3		4		2	
Lynchburg, Va	29,494	7			1					1	3	
Malden, Mass	44,404	13			2					1		
Montgomery, Ala	38,136	20	4								1	2
Newcastle, Pa	36,280		4						1		8	
Newport, Ky	30,309	3	2				3		1	1		
Newton, Mass	39,806	9										
Niagara Falls, N. Y	30,445	9							3	1	1	
Norristown, Pa	27,875	7	1								8	
Orange, N. J	29,630	18	4		1				2	1	[1]7	
Pasadena, Cal	30,291	5							2			
Pittsfield, Mass	32,121	9	2				4	1	1	1		
Portsmouth, Va	33,190	10					1					
Racine, Wis	38,002	12	2	1			2					
Roanoke, Va	34,874	9							2	1	4	
Salem, Mass	43,697	17	1							1		
San Diego, Cal	39,578	5	1				2		4	4		
South Omaha, Nebr	26,259	9										
Superior, Wis	40,384	3	8							1		
Taunton, Mass	34,259	23					1			1		
Waltham, Mass	27,834	6					1		2			
West Hoboken, N. J	35,403		2									
Wheeling, W. Va	41,641	11	15									
Williamsport, Pa	31,860	7	1								1	1
Wilmington, N. C	25,748	9	1							1	2	1
Zanesville, Ohio	28,026	10	5							1	5	
Cities having less than 25,000 inhabitants.												
Alameda, Cal	23,833	4			1				1			
Ann Arbor, Mich	14,817	5										
Beaver Falls, Pa	12,191		1						1			

[1] Five from out of town.

MORBIDITY AND MORTALITY—Continued.

Morbidity and mortality table for certain diseases, cities of the United States, for week ended Sept. 21, 1912—Continued.

Cities.	Population, United States census, 1910.	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.		Typhoid fever.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Cities having less than 25,000 inhabitants—Con.												
Butler, Pa	20,728		3						1			
Cambridge, Ohio	11,327	2									1	
Clinton, Mass	13,075	1							3			
Columbus, Ga	20,554	8										
Columbus, Ind			1									
Concord, N. H	21,497	12										
Cumberland, Md	21,839	15	1				3	1		2	2	
Dunkirk, N. Y		4										
Harrison, N. J	14,498	3	1						1			
Homestead, Pa	18,710	8	1				2					
Kearny, N. J	18,659	5							1			
La Fayette, Ind	20,081	2									2	
Lebanon, Pa	19,240										1	
Logansport, Ind		1										
Marinette, Wis	14,610	5	2						2			
Marlboro, Mass	14,579	1	2						2			
Massillon, Ohio	23,870	3	1									
Medford, Mass	23,150	6							1			
Melrose, Mass	16,715	2									1	
Moline, Ill	24,199	3		1								
Montclair, N. J	21,150	7			1							
Morristown, N. J	12,507	4					1		2			
Nanticoke, Pa	18,857	4										
Newburyport, Mass	19,240	4							1	1	1	
North Adams, Mass	22,019	13					1			4		
Northampton, Mass	19,431	6							1	2		
Ottumwa, Iowa	22,012	2					1			1		
Plainfield, N. J	22,250	5			1				1	1		
Rutland, Vt	13,546						1					
Saratoga Springs, N. Y		7							2			
South Bethlehem, Pa		11									6	
Steelton, Pa	14,246	8	2		4				1			
Warren, Ohio	11,080	2										
Wilkinsburg, Pa	18,924	1			2		1		2			
Woburn, Mass	15,308	5							1	1	1	

STATISTICAL REPORTS OF MORBIDITY AND MORTALITY, STATES OF THE UNITED STATES (Untabulated).

IOWA.—Month of July, 1912. Population, 2,224,771. Total number of deaths from all causes 1,482, including diphtheria 3, scarlet fever 1, tuberculosis 114.

MASSACHUSETTS.—Week ended August 3, 1912. Population of reporting towns, 2,578,786. Total number of deaths from all causes 705, including diphtheria 3, measles 4, scarlet fever 2, tuberculosis 69, typhoid fever 2. Cases reported: Diphtheria 59, measles 101, scarlet fever 52, tuberculosis 129, typhoid fever 38.

Week ended August 10, 1912. Total number of deaths from all causes 702, including diphtheria 5, measles 2, tuberculosis 58, typhoid fever 2. Cases reported: Diphtheria 85, measles 80, scarlet fever 42, smallpox 1, tuberculosis 133, typhoid fever 51.

Week ended August 17, 1912. Total number of deaths from all causes 730, including diphtheria 6, tuberculosis 62, typhoid fever 5.